5A&I 1-4040 (201	2)
---------------	-----	----

TERMS

BLAINE	County, Oklahoma
COUNTY PURCHASING OFFICE	
BLAINE	County Court House
WATONGA	, Oklahoma
Phone Number +1 (580) 623-5890	

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

Date Issued

November 9, 2020

BID NUMBER	BID CLOSING DATE AND HOUR	REQUIRED DELIVERY DATE
# 21-04	December 4, 2020 @ 4:00 PM	
		(Days after award of Purchase Order) Date of Delivery

ITEM QU	JANTITY	UNIT OF	DESCRIPTION	UNIT PRICE	TOTAL
			BLAINE COUNTY COMMISSIONERS WILL BE ACCEPTING BIDS FOR THE FOLLOWING ITEMS to be opened December 7, 2020 @ 9:30 AM:		
			Asphalt Materials Bridge Materials Chemicals		
			Culvert Pipe Corrugated Polypropylene Pipe Steel Pipe		
			Grader Blades Machinery Lease w/operator Machinery Lease without operator Road Materials		
			Publish Commissioners Proceedings		
			See attached Notice of Six Month Bids Publication Sheets for specifics and Bid Sheets for each item. Please use sheets provided as some have changed.		
			Please be sure to complete, sign and notarize the AFFIDAVIT on the second page of this form. Return all bids to:		
			Blaine County Clerk P.O. Box 138 212 North Welgle Watonga, Ok 73772		
			PLEASE NOTE DATES AND TIME FOR CLOSING AND OPENING BIDS		
					•

TERMS and CONDITIONS

1.	Sealed bids will be opened	in the Con	nmissioner's Conferen	ice Room, Blaine
	County Courthouse, Wator	nga		, Oklahoma, at the time and date shown on the
	invitation to bld form.			
2.	Late bids will not be consid closing date written on the			sealed envelopes (one to an envelope) with bid number and
3.	Unit prices will be guarante	ed correct	by the bidder.	
4.	Firm prices will be F.O.B. de	estination.		
5.	Purchases by Blaine			County, Oklahoma, are not subject to state or federal taxes.
6.	This bid is submitted as a le	egal offer a	nd any bid when acco	epted by the County constitutes a firm contract.
7.	Oklahoma laws require ead of non-collusion. A form is			county for goods or services to furnish a notarized sworn statement
8.	Bids will be firm until6	30 20 3	7/(Date)	
to su freed to qu betw lettin	Ibmit the above bid. Afflant dom of competition by agree uantity; quality or price in the veen bidders and any state o	further sta ement to b e prospecti fficial cond der/contra ma (or oth	tes that the bidder ha id at a fixed price or to we contract or any oth erning exchange of n ctor has not paid, giv er entity) any money	orn on oath say the he (she) is the agent authorized by the bidder as not been a party to any collusion among bidders in restraint of a refrain from bidding; or with any state official or employee as their terms of said prospective contract; or in any discussions money or other thing of value for special consideration in the ren or donated or agreed to pay, give or donate to any officer or or other thing of value, either directly or indirectly in the
Subse	cribed and sworn before this	day		
of	400000	, 20	(SEAL)	
			Firm:	
Мус	ommission expires		Signed by: (Manual S	Signature of Undersigned)
			Address:	Phone:
<u> </u>	NOTARY PUBLIC (CLERK OR JUDGE)		-	Zip:

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

NOTICE OF SIX MONTH BIDS

The Board of Blaine County Commissioners is accepting bids for the following items:

ASPHALT MATERIALS
CHEMICALS
ROAD ROCK MATERIALS
STRUCTURAL STEEL
CULVERT PIPE & STEEL PIPE
8 SACK GROUT & CONCRETE
GRADER BLADES

PILE PILINGS
REINFORCING STEEL
STAY IN PLACE FORMS
MACHINERY LEASE
TANKER CARS FOR BRIDGES
INTERLOCKING SHEETING

GUARD RAILS & END SECTIONS

½ ODOT SPECIFICATION 701 SIZE #57 ROCK PUBLICATION OF COMMISSIONERS PROCEEDINGS

For a period of time beginning January 1, 2021 through June 30, 2021.

Sealed bids are to be presented to the Blaine County Clerk's Office, P.O. Box 138, Watonga OK 73772, no later than December 4, 2020 @ 4:00 PM, and will be opened at 9:30 AM on December 7, 2020.

PLEASE NOTE DATES AND TIMES FOR BIDS TO BE SUBMITTED AND OPENED.

Please put "BID #21-04" and the closing date on the outside of the envelope.

Bidders must have the Affidavit on the reverse side of the Invitation to Bid form signed and notarized. It must be returned with the bid. The only forms to be accepted will be the forms supplied by the County Clerk.

Purchases by Blaine County are not subject to State and Federal Taxes.

If freight is not included, bids must state "FOB Blaine County" or "FOB Plant".

No bond or letter of credit is required by the Board this period.

The Board of County Commissioners reserves the right to accept or reject any and all bids.

In case of a non-firm bid, the Board will use their discretion.

Orders placed from the six (6) month bids will be accepted or rejected at the time of placing, for immediate delivery, or within thirty (30) days.

Blaine County does not discriminate on the basis of religion, sex, age, national origin, political affiliation, mental or physical disability in admission to, access to, or operation of its programs, services or activities. Blaine County does not discriminate on the basis of disability in its hiring or employment practices.

FOR THE BOARD OF COMMISSIONERS

raymond scheffler, chairman

Business Name			
•	Geary <u>Dist. #1</u>	Okeene <u>Dist. #2</u>	Watonga <u>Dist. #3</u>
<u>ASPHALT MATERIALS:</u>			
Type B – Per Ton – FOB Plant			
Type C - Per Ton - FOB Plant			,
Hot Lay Per Ton FOB Plant		•	
Cold Lay - Per Ton - FOB Plant	## (Fig. 1971)		
Asphalt Millings -Per Ton-FOB Plant	ant		And the second s
Polymer modified Cold Pat	cch Material:	Delivered:	
Per Bag: Bulk Rate:			
Deliver on Site			
DOUBLE A CONCRETE			
8 SACK GROUT:		American State (Marie Control of	
CLASS A CEMENT:	1		•
CONCRETE WITH FIBER			•

1.1	•
BUSINESS NAME	
RUSINESS NAME	
DOOH ALCOHOUS	

BRIDGE MATERIALS:

Bridge Beams		·- ',	
New Pipe Piling:			
9 5/8"	_		
7 5/8"			
H-Pile – 10 x 42#	_		
Steel Sheet Piling	-		
#5 Reinforcing Bars	_	•	
#4 ReInforcing Bars			
Metal Deck Form (22 gauge mln.)	-		t
1" Slab Spacers	-	•	•
5" High Chairs	_		
Channel:		,	
7 x 9.8# ·			
8 x 11.5#			
10×15.3 #			-
10 × 20#			
12 × 20.7#			
15 × 33.9#			
Angle:			
3" × 3" × 1/4"			
$.4'' \times 3'' \times 1/4''$	د	•	
Rectangle Steel Tube 4 x 8 x .375		•	
Nelson Studs (6")			•
Tie Rods (3/4")			
Guard Rail Post (W6x8.5# or equivalent)		<u></u>	
Tubular Traffic Rail			
Type I End Sections			

·	BUSINE	SS NAME	
BRIDGE MATERIALS			
Slab Bolsters:			
3/4	•		
1 ½			
New Structural Steel:			
20' & 40' Lengths, per CWT			
24" & Larger Beams, per CW	T		
All Irregular Lengths, per CW	T		-
Used Structural Steel:			
TANKER CARS FOR BRIDGES (W	all Thickness)		
8' – per ft.			
8 ½' – per ft.			
9' – per ft.		·	
9 1⁄2' – per ft.			
10' — per ft.			
1/2 TANKER CARS WITH FLOOR A	ND HEADWAI	LL	

	BUSINESS NAME	<u> </u>
CHEMICALS:		
OUST - 3 LB.		
2-4-D - 2 1/2 Gallons		•
ROUND-UP - 2 1/2 Gallons		
ROUND-UP - 30 Gallon Drum		
GENERIC ROUND-UP		
CAMPAIGN - 2 1/2 Gallons		
CAMPAIGN - 30 Gallons		
GARLON 3A- per Gallon		
GARLON 4 – per Gallon		
ATREZINE - per Pound	· · · · · · · · · · · · · · · · · · ·	
KARMEX – per Pound		
SPIKE PELLETS – Specify Quantity		
GOPHER BAIT - Specify Quantity		
TARDON K - Per Gallon		
RODEO – Per Gallon		
RED RIVER 90 - Per Gallon		
SURFACTANT - Per Gallon		
GROUND STERILANT & OUTRIDER		

}

BLIGHTINGS NIABAT	
BUSINESS NAME	

BRIDGE MATERIALS INTERLOCKING SHEETING:

GALVANIZED	INTERLOCKING SHEETI	(NG: (21.7")	GALVANIZED IN	TERLOCKING SHEET	ING: (18″)
<u></u>	WEIGHT PER	PRICE PER		WEIGHT PER	PRICE PER
GAUGE	SOUARE FOOT	SO.FT.	GAUGE	SQUARE FOOT	SO.FT.
<u>U700L</u>	<u> </u>				
7 GAUGE	9.9#	-	7 GAUGE	9.9#	
8 GAUGE	9,1#		8 GAUGE	9.7#	•
10 GAUGE	7.4#		10 GAUGE	7.4#	Addition and the soul
12 GAUGE	·		12 GAUGE	5,8#	
		•			
BLACK INTER	LOCKING SHEETING:	. (21,7")	BLACK INTERI	LOCKING SHEETING:	
	WEIGHT PER	PRICE PER		WEIGHT PER	PRICE PER .
GAUGE	SOUARE FOOT	SO.FT	GAUGE	SQUARE FOOT	<u> </u>
7 GAUGE	9,9#		7 GAUGE	9,9#	<u>.</u>
8 GAUGE	9.1#		_8 GAUGE	9.1#	
10 GAUGE	7.4#	the second secon	10 GAUGE	7,4#	

BUSINESS	NAME	
----------	------	--

CULVERT PIPE:

<u>ROUN</u>	<u>D</u> 2 2/3 X ½ ·	- <u>RIVETED</u>	ARCHED 2 2/3 x 1/2	- <u>RIVETED</u>
	<u>16 ga.</u>	<u>14 ga.</u>	<u>16 ga.</u>	<u>14 ga.</u>
12"			17"x13"	
15"			21"x15"	****
18"			28"x20"	·
21"	1		35"x24"	
24"			42"x29"	
30"			49"x33"	
36"			57"x38"	
42"	•		64"x43"	,
48"			. 72"x47"	
54"			77"x52"	
			83"x57"	

BUSINESS N	IAME	
------------	------	--

CULVERT PIPE:

ROUNE	22/3X ½-	SPIRAL	ARCHED 2 2/3 x ½ -	-SPIRAL
	<u>16 ga.</u> '	<u>14 qa.</u>	<u>16 ga.</u>	<u>14 ga.</u>
12"			17"x13"	
15"			21"x15"	
18" .		•	28"x20"	
21"			35"x24"	
24"			42"x29"	
30"			49"x33"	
36 ″			57″x38"	
42"			64"x43"	
48"			72"×47"	
54"			77"x52"	
60"			83"x57"	<u> </u>
66"				
72"				,
78"			•	
84"				
90"				
96"				

DIRCINICOS ALABAE	,	
Business Name	 	

Corrugated Polypropylene Pipe AASHTO 330 Highway Specification 20' & 13' Lengths Available – All Pipe Watertight

Size	Price ·
12" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
12" Coupler	\$/EA
15" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
15" Coupler	\$/EA
18" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
18" Coupler	\$/EA
.21" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
21" Coupler	\$/EA
24" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
24" Coupler	\$/EA
30" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
30" Coupler	\$/EA
36" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
36" Coupler	\$/EA
42" Corrugated Polypropylene Pipe (AASHTO M330) 42" Coupler	\$/LF \$/EA
48" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
48" Coupler	\$/EA
60" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF \$/EA

DUAL WALL POLYPROPYLENE PIPE

All Polypropylene pipe is AASHTO (highway) rated under spec M330 for use under roadway applications capable of H-25 traffic loads (per manufacturers recommended installation procedures).

BUSINESS	NAME	

STEEL PIPE: 12" 16" 20" 22" 24" 26"

BUSINESS NAME _____

	His Couhon	Other Grade
GRADER BLADES:	High Carbon	Other Grade
7' x 6" x 5/8"	14.90	-
8' x 6" x 5/8"		
7' x 8" x 5/8"		
8' x 8" x 5/8"		gament and the second
HEAT TREATED GRADER BLADES:	•	
8' X 6" X 5/8" w/5/8" bolt holes		
7' x 6" x 5/8" w/5/8" bolt holes		White the same of
. 7' \times 8" \times 5/8" w/5/8" bolt holes		
GRADER BLADES:	High Carbon	Other Grade
7' x 6" x 3/4"		<u> </u>
8' x 6" x 3/4"	parating and the second	
7' x 8" x 3/4"		
8' x 8" x 3/4"		
HEAT TREATED GRADER BLADES:		
8' X 6" X 5/8" w/3/4" bolt holes		age
$7' \times 6'' \times 5/8''$ w/3/4" bolt holes		
7' x 8" x 5/8" w/3/4" bolt holes		

BUSINESS NAME _____

ROAD MATERIALS:		
Shale - per YD		
Excavation of Native Materials-per YD		
Fines – per Ton		
3/8" #6 Screening Fines - per Ton		
#4 Screenings - per Ton		
Screenings – per Ton		
Cover Chips:	Washed:	Unwashed:
3/4" #1 - per Ton		
3/8" #2 - per Ton		Resident de la Proposition de la companya del companya del companya de la company
5/8" #3 - per Ton		
Crusher Run:		
¾" – per Ton		
1" - per Ton		
1 1/2"- per Ton		
2" – per Ton		
2 1/2" – per Ton		
3" – per Ton		
1 1/2 " ODOT Specifications 701 Size # 57	7 Rock	(Richard Spur) (Western Agregate)
County Special – per Ton		·
³¼" County Special – per Ton		
Surge: 2" - per Ton		
4" – per Ton		
6" – per Ton		
8" – per Ton		
Calcat Bin Ban nor Tan		

	BUSINESS NAME
ROAD MATERIALS:	
GYPSUM ROCK	
3/4"	
2"	· · · · · · · · · · · · · · · · · · ·
4" Surge	
Fines	
1 ½" Crusher Run	•
2 ½" Crusher Run	
5" Surge	- And the state of
2" x 6" Surge	· ·

MACHINERY LEASE:	With Operator Per Hour	Without Operator Per Hour
BACKHOE		
D-6C DOZER (OR EQUALIVANT)		
D-4 DOZER (OR EQUALIVANT)		
2D6D DOZER (OR EQUALIVANT)		
2D6D DOZER w/Winch (OR EQUALIVANT)		
D6B DOZER (OR EQUALIVANT)		
D5B DOZER w/Winch (OR EQUALIVANT)		
TRACTOR w/Scraper		
11 YARD SCRAPER		
15 YARD SCRAPER		
TRACKHOE	,	
FORKLIFT		, and an analysis and the second
D7G DOZER (OR EQUALIVANT)		
COMPACT ROLLER (packer-wet)	· 	, , , , , , , , , , , , , , , , , , , ,
ASPHALT RECLAIMER		
FRONT END LOADER		
TRUCK & BELLYDUMP TRAILER		
TAMDEM AXLE DUMP		
END DUMP TRUCK		
TRUCKING PER LOADED MILE		

FILE NAME: MACHINERY LEASE-PAGE 1