(To be published in the Watonga Republican the weeks of November 3, 2025 and November 10, 2025)

NOTICE OF SIX MONTH BIDS

The Board of Blaine County Commissioners is accepting bids for the following items:

ASPHALT MATERIALS ROAD ROCKMATERIALS CORRUGATED POLYPROPYLENE PIPE (GRAY)

CULVERT PIPE STEEL PIPE
BRIDGE MATERIALS TANKER CARS FOR BRIDGES

GRADERBLADES CONCRETE

ROADSIDE SPRAYING

MACHINERY LEASE WITH & WITHOUT OPERATOR

For a period of time beginning January I, 2026 through June 30, 2026

Sealed bids are to be presented to the Blaine County Clerk's Office, P.O. Box 138, Watonga OK 73772, no later than November 21, 2025 @4:00 PM, and will be opened at 9:30 AM on November 24, 2025.

PLEASE NOTE DATES AND TIMES FOR BIDS TO BE SUBMITTED AND OPENED.

<u>Pleaseput</u>"BID#26-016-MONTHBID CLOSING DATENovember 24,2025" on the outside of the sealed envelope.

Bidders must have the Affidavit on the reverse side of the Invitation to Bid form signed and notarized. It must be returned with the bid. The only forms to be accepted will be the forms supplied by the County Clerk.

Purchases by Blaine County are not subject to State and Federal Taxes.

Iffreight is not included, bids must state "FOB Blaine County" or "FOB Plant".

No bond or letter of credit is required by the Board this period.

The Board of County Commissioners reserves the right to accept or reject any and all bids.

In case of a non-fi m bid, the Board will use their discretion.

Orders placed from the six (6) month bids will be accepted or rejected at the time of placing, for immediate delive 1y, or within thirty (30) days.

Blaine County does not discriminate on the basis of religion, sex, age, national origin, political affiliation, mental or physical disability in admission to, access to, or operation of its programs, services or activities. Blaine County does not discriminate on the basis of disability in its hiring or employment practices.

FOR THE BOARD OF COMMISSIONERS

BRANDON SCHULTZ, CHAIRMAN

INVITATION TO BID BLAINE COUNTY, OKLAHOMA

PLEASE REVIEW THE TERMS AND CONDITIONS RELATING TO THE SUBMISSION OF THIS BID.
NOTARIZED AFFIDAVIT COMPLETIONS AND SIGNATURE REQUIRED ON ADDITIONAL PAGES.

DATE ISSUED: 11/03/2025

BID NUMBER

BID CLOSING DATE AND HOUR

REQUIRED DELIVERY DATE

#26-01

NOVEMBER 21, 2025 @ 4:00 pm

AS SOON AS POSSIBLE

TERMS	QUANTITY		BLAINE COUNTY COMMISSIONERS WILL BE ACCEPTING BIDS FOR THE FOLLOWING ITEMS TO BE OPENED NOVEMBER 24, 2025 @ 9:30 am ASPHALT MATERIALS CONCRETE ROAD MATERIALS CORRUGATED POLYPROPYLENE PIPE	UNIT PRICE	TOTAL
			BE OPENED NOVEMBER 24, 2025 @ 9:30 am ASPHALT MATERIALS CONCRETE ROAD MATERIALS CORRUGATED POLYPROPYLENE PIPE)	
			ASPHALT MATERIALS CONCRETE ROAD MATERIALS CORRUGATED POLYPROPYLENE PIPE		
			CONCRETE ROAD MATERIALS CORRUGATED POLYPROPYLENE PIPE		
			CONCRETE ROAD MATERIALS CORRUGATED POLYPROPYLENE PIPE		
			ROAD MATERIALS CORRUGATED POLYPROPYLENE PIPE		
4444577					
			CULVERT PIPE		
			STEEL PIPE BRIDGE MATERIALS		
			MACHINERY LEASE W/OUT OPERATOR	1	
1			MACHINERY HIRE W/OPERATOR		
	-		GRADER BLADES		
		,	ROAD SIDE SPRAYING		
1					
		١,	 **SEE ATTACHED BID SHEETS FOR EACH ITEM		
****		,	PLEASE USE SHEETS PROVIDED AS SOME HAVE CHANGE	D**	
	:				
			BID MUST HAVE:		
			"BID #26-01 6-MONTH BID CLOSING		
			DATE NOVEMBER 24, 2025" ON THE		
			OUTSIDE OF THE ENVELOPE		
1					
			PLEASE BE SURE TO COMPLETE, SIGN, AND NOTARIZE	planter to the	
			(INCLUDE NOTARY SEAL) THE AFFIDAVIT		
			PLEASE NOTE DATES AND TIME FOR CLOSING AND	OPENING O	F BIDS
			RETURN ALL BIDS TO:		
			BLAINE COUNTY CLERK		
			580-623-5890 D.O. BOY 139 242 N. WETCLE		
			P.O. BOX 138 ~ 212 N. WEIGLE WATONGA, OK 73772		

TERMS and CONDITIONS

1.	Sealed bids will be opened in the Com	missioner's Conference Roo	m, BLAINE
	County Courthouse, WATONGA		, Oklahoma, at the time and date shown on the
	invitation to bid form.	**************************************	
2.	Late bids will not be considered. Bids closing date written on the outside of		envelopes (one to an envelope) with bid number and
3.	Unit prices will be guaranteed correct by the bidder,		
4.	Firm prices will be F,O,B, destination.		
5,	Purchases by BLAINE	Cour	ity, Oklahoma, are not subject to state or federal taxes.
б.	This bid is submitted as a legal offer ar	nd any bid when accepted b	y the County constitutes a firm contract.
7.	Oklahoma laws require each bidder su of non-collusion. A form is supplied b		or goods or services to furnish a notarized sworn statement
8.	Bids will be firm until06/30/ 20 2 6	(Date) 	
to sur freed to que between letting	bmit the above bid. Affiant further state om of competition by agreement to bid antity; quality or price in the prospective een bidders and any state official conce ag of a contract; that the bidder/contrac	es that the bidder has not be dat a fixed price or to refrair re contract or any other term erning exchange of money o tor has not paid, given or de er entity) any money or other	ath say the he (she) is the agent authorized by the bidder sen a party to any collusion among bidders in restraint of from bidding; or with any state official or employee as as of said prospective contract; or in any discussions or other thing of value for special consideration in the conated or agreed to pay, give or donate to any officer or thing of value, either directly or indirectly in the
Subsc	ribed and sworn before this day		
of	, 20	(SEAL)	
		Firm:	
Му со	mmission expires	Signed by: (Manual Signature of U	Indersigned)
		Address:	Phone:
	NOTARY PUBLIC (CLERK OR JUDGE)		Zip:

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.

Business Name			
	Geary <u>Dist. #1</u>	Okeene <u>Dist. #2</u>	Watonga <u>Dist. #3</u>
ASPHALT MATERIALS:			
Type B – Per Ton – FOB Plant			
Type C - Per Ton - FOB Plant	N		
Hot Lay – Per Ton – FOB Plant	***************************************		
Cold Lay - Per Ton - FOB Plant		***************************************	A
Asphalt Millings -Per Ton-FOB Plan	t		
Polymer modified Cold Patch	n Material:	Delivered:	
Per Bag:			
Bulk Rate:			
Deliver on Site			
DOUBLE A CONCRETE			
8 SACK GROUT:			
CLASS A CEMENT:	A		
CONCRETE WITH FIBER		4	
DELIVER ON SITE:			
DEMURRAGE CHARGE:			

	BOSINESS NAME	
ROAD MATERIALS:		
Shale - per YD		
Excavation of Native Materials-per YD		
Fines – per Ton		
3/8" #6 Screening Fines - per Ton		
#4 Screenings - per Ton		
Screenings – per Ton		
Cover Chips:	Washed:	Unwashed:
3/4" #1 - per Ton		
3/8" #2 - per Ton		
5/8" #3 - per Ton		
Crusher Run:		
³¼" – per Ton		
1" - per Ton		
1 ½"- per Ton	<u></u>	
2" - per Ton		
2 ½" – per Ton		
3" - per Ton 1 1/2 " ODOT Specifications 701 Size # 57 Rock		
County Special – per Ton	•	
¾" County Special - per Ton		
Surge: 2" - per Ton	· ·	
4" - per Ton		
6" – per Ton		
8" – per Ton		
Select Rip Rap – per Ton		

	BUSINESS NAME
ROAD MATERIALS:	
GYPSUM ROCK	
3/4"	
2"	
4" Surge	, management of the control of the c
Fines	
1 ½" Crusher Run	
2 1/2" Crusher Run	
5" Surge	
2" x 6" Surge	
County Fines	

BUSINESS NAME

Corrugated Polypropylene Pipe (GRAY) AASHTO 330 Highway Specification 20' & 13' Lengths Available – All Pipe Watertight

Size	Price
12" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
12" Coupler	\$/EA
15" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
15" Coupler	\$/EA
18" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
18" Coupler	\$/EA
21" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
21" Coupler	\$/EA
24" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
24" Coupler	\$/EA
30" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
30" Coupler	\$/EA
36" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
36" Coupler	\$/EA
42" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
42" Coupler	\$/EA
48" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
48" Coupler	\$/EA
60" Corrugated Polypropylene Pipe (AASHTO M330)	\$/LF
60" Coupler	\$/EA

DUAL WALL POLYPROPYLENE PIPE

All Polypropylene pipe is AASHTO (highway) rated under spec M330 for use under roadway applications capable of H-25 traffic loads (per manufacturers recommended installation procedures).

BUSINESS NAME _____

CULVERT PIPE:

<u>ROUND</u> 2 2/3 X 1/2 - <u>RIVETED</u>			ARCHED 2 2/3 x ½ - RIVETED	
	<u>16 ga.</u>	<u>14 ga.</u>	<u>16 ga.</u>	<u>14 ga.</u>
12"			17"x13"	war and the state of the state
15"			21"x15"	\$
18"			28"x20"	
21"			35"x24"	
24"	\$		42"x29"	***************************************
30"	•		49"x33"	\$14.6mm/shipsing and shipsing a
36"	\$		57"x38"	
42"			64"x43"	
48"			72"x47"	
54"		-	77"x52"	
			83″x57″	

BUSINESS NAME _____

CULVERT PIPE:

ROUND 2 2/3 X 1/2 - SPIRAL			ARCHED 2 2/3 x 1/2	· SPIRAL
	<u>16 ga.</u>	<u>14 ga.</u>	<u>16 ga.</u>	<u>14 ga.</u>
12"		Name of the second seco	17"x13"	
15"		,	21"x15"	
18"		annum and an	28"x20"	
21"			35"x24"	
24"	<u> </u>		42"x29"	
30"			49"x33"	
36"			57"x38"	p,
42"	,		64"x43"	
48"		A	72"x47"	
54"			77"x52"	
60″	,		83"x57"	
66"	***************************************			
72"				
78"				
84"				
90″	B-01/			
96"				

BUSINESS	NAME	

STEEL	PIPE:
12"	
16"	
20"	
22"	
24"	
26"	
30"	
36"	

	BUSINESS NAME
BRIDGE MATERIALS:	
Bridge Beams	
New Pipe Pilling:	
9 5/8"	
7 5/8"	
H-Pile – 10 x 42#	
Steel Sheet Piling	
#5 Reinforcing Bars	
#4 Reinforcing Bars	
Metal Deck Form (22 gauge min.)	
1" Slab Spacers	
5" High Chairs	
Channel:	
6 x 8.2#	
7 x 9.8#	
8 x 11.5#	
10 x 15.3#	
10 x 20#	
12 x 20.7#	
15 x 33.9#	
Angle:	
3" x 3" x 1/4"	
4" x 3" x ¼"	
Nelson Studs (6")	
Tie Rods (3/4")	
Guard Rail Post (W6x8.5# or equiv	alent)
Tubular Traffic Rail	
Type I End Sections	

BUSINESS NAME _____

BRIDGE MATERIALS		
Slab Bolsters:		
3/4		
1 ½		
New Structural Steel:		
20' & 40' Lengths, per (CWT	
24" & Larger Beams, pe	er CWT	
All Irregular Lengths, pe	er CWT	
Used Structural Steel:		
TANKER CARS FOR BRIDGE	S (Wall Thickness)	
8' – per ft.		
8 ½' – per ft.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	gan-1111-1111-1111-1111-1111-1111-1111-1
9' – per ft.		
9 ½' – per ft.		
10' – per ft.		<u></u>
·		
1/2 TANKER CARS WITH FLOO	OR AND HEADWALL	
8' – per ft.		
8 1/2' – per ft.		40-74-74-1
9' – per ft.		\$\tau^{1/2}\dagge\
9 1/2' – per ft.		
10' – per ft.		

BUSINESS	NAME		

BRIDGE MATERIALS INTERLOCKING SHEETING:

GALVANIZED	INTERLOCKING SHEETI	NG: <u>(21.7")</u>	GALVANIZED I	NTERLOCKING SHEET	ring: (18")
	WEIGHT PER	PRICE PER		WEIGHT PER	PRICE PER
GAUGE	SQUARE FOOT	SQ.FT.	GAUGE	SQUARE FOOT	SQ. FT.
7 GAUGE	9.9#		7 GAUGE	9.9#	
8 GAUGE	9.1#		8 GAUGE	9.7#	<u>_</u>
10 GAUGE	7,4#		10 GAUGE	7.4#	10 C C C C C C C C C C C C C C C C C C C
12 GAUGE	5.8#		12 GAUGE	5,8#	
BLACK INTER	LOCKING SHEETING:	(21,7")	BLACK INTERI	LOCKING SHEETING:	(18")
	WEIGHT PER	PRICE PER		WEIGHT PER	PRICE PER
GAUGE	SQUARE FOOT	<u>SQ.FT</u>	GAUGE	SQUARE FOOT	<u>SQ. FT</u> .
7 GAUGE	9.9#		7 GAUGE	9.9#	
8 GAUGE	9.1#		8 GAUGE	9.1#	
10 GAUGE	7.4#		10 GAUGE	7.4#	
12 GAUGE	5.8#		12 GAUGE	5.8#	

BUSINESS NAME _____

MACHINERY LEASE:	Without Operator Per Hour
BACKHOE	
D-6C DOZER (OR EQUALIVANT)	
D-4 DOZER (OR EQUALIVANT)	
2D6D DOZER (OR EQUALIVANT)	
2D6D DOZER w/Winch (OR EQUALIVANT)	
D6B DOZER (OR EQUALIVANT)	
D5B DOZER w/Winch (OR EQUALIVANT)	
TRACTOR w/Scraper	
11 YARD SCRAPER	
15 YARD SCRAPER	
TRACKHOE	····
FORKLIFT	
D7G DOZER (OR EQUALIVANT)	
COMPACT ROLLER (packer-wet)	
ASPHALT RECLAIMER	
FRONT END LOADER	
	With Operator Per Hour
TRUCK & BELLYDUMP TRAILER	
TAMDEM AXLE DUMP	
END DUMP TRUCK	
10-WHEELER DUMP TRUCK	
TRUCKING PER LOADED MILE	

BUSINESS NAME _____

GRADER BLADES:	High Carbon	
7' x 6" x 5/8"		
8' x 6" x 5/8"		
7' × 8" × 5/8"		
8' x 8" x 5/8"		
HEAT TREATED GRADER BLADES:		
8' X 6" X 5/8" w/5/8" bolt holes		
7' x 6" x 5/8" w/5/8" bolt holes		
7' x 8" x 5/8" w/5/8" bolt holes		
GRADER BLADES:	High Carbon	
7' x 6" x 3/4"		
8' x 6" x 3/4"		······
7' x 8" x 3/4"		
8' x 8" x 3/4"		
HEAT TREATED GRADER BLADES:		
8' X 6" X 5/8" w/3/4" bolt holes		
7' x 6" x 5/8" w/3/4" bolt holes		A TOTAL CONTRACTOR OF THE PARTY
7' x 8" x 5/8" w/3/4" bolt holes		

BUSINESS N	IAME

ROADSIDE SPRAYING: Weed and vegetation spraying in county right-of-ways, around county bridges and guardrails. Vendor must provide applicators license, must keep a spray log and provide daily reports, must be able to deliver aerial applications and meet Oklahoma Vegetation Management Requirements.