

(Published in the Watonga Republican the week of March 16th through the 20rd and March 23rd through the 27th, 2026)

BID NOTICE

The Board of County Commissioners will accept sealed bids for the following on behalf of Longdale Fire Department:

Fire Truck Storage Barn Expansion
(Building, Concrete, Doors, Insulation, Electric, Heating)

Purpose:

The Longdale Fire Department is seeking bids for expansion of the fire truck storage barn. The building addition will be located at 218 N Walnut, at the corner of Main and Walnut in the town of Longdale, county of Blaine, and state of Oklahoma.

Bidder:

Bidders can bid on a single item or the overall project, please specify. Longdale Fire Department reserves the right to award this bid to any bidder who is able to give a complete bid or to numerous bidders who are able to provide services like concrete, doors, and/or building materials etc.

Contact Person(s):

Specifications will be available at the Blaine County Clerk's office, located at the Blaine County Courthouse at 212 N. Weigle, Watonga, OK 73772, or call James Syzmore, Chief of Longdale Fire Department, (580)886-4840.

Sealed bids are to be presented to the Blaine County Clerk's Office:
P.O. Box 138 ~ 212 N. Weigle ~ Watonga, OK 73772 bid closing on Thursday,
April 2nd at 4:00 p.m.
and bids will be opened on April 6th at 9:30 a.m.

Bid MUST HAVE: "Bid Opening, Bid #26-02, April 6th, 2026" on the outside of the envelope.

Bids **MUST** be submitted on forms provided by the County Clerk's office, including statements of non-collusion and non-conviction and statement and terms, signed and notarized.

All vendors with accepted bids that include labor MUST supply the County Clerk with proof of Workers Compensation Insurance or an "Affidavit of Exempt Status under the Workers' Compensation Act". MUST also be licensed and bonded through the State of Oklahoma.

The Board of County Commissioners reserves the right to accept or reject any and all bids. The Board reserves the right to accept the lowest, best bid, based on price, materials and workmanship and all specifications provided.

Blaine County does not discriminate on the basis of religion, sex, age, national origin, political affiliation, mental or physical disability in admission to, access to, or operations of its programs, services or activities. Blaine County does not discriminate on the basis of disability in its hiring or employment practices.

FOR THE BOARD OF COMMISSIONERS



Brandon Schultz, Chairman

BLAINE County, Oklahoma
COUNTY PURCHASING OFFICE
 BLAINE County Court House
 WATONGA, Oklahoma
 Phone Number +1 (580) 623-5890

Invitation to Bid

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE
 RELATING TO SUBMISSION OF THIS BID.
 Notarized Affidavit completions and signature required on reverse side.

Date Issued Mar 16, 2026
 Page 1 of

BID NUMBER

26-02

BID CLOSING DATE AND HOUR

Thursday, April 2 at 4:00 p.m.

REQUIRED DELIVERY DATE

60 days

(Days after award of Purchase Order)

TERMS

Date of Delivery

ITEM	QUANTITY	UNIT OF ISSUE	DESCRIPTION	UNIT PRICE	TOTAL
			BLAINE COUNTY COMMISSIONERS WILL BE ACCEPTING BIDS FOR THE FOLLOWING ITEMS TO BE OPENED ON APRIL 6, 2026, AT 9:30 A.M. ON BEHALF OF LONGDALE FIRE DEPARTMENT : FIRE TRUCK STORAGE BARN EXPANSION (BUILDING, CONCRETE, DOORS, INSULATION, ELECTRIC, HEATING) BID MUST HAVE: "BID # 26-02 LONGDALE FIRE TRUCK STORAGE BARN EXPANSION BID OPENING ON APRIL 6, 2026 @ 9:30 A.M." ON THE OUTSIDE OF THE ENVELOPE PLEASE BE SURE TO COMPLETE, SIGN AND NOTARIZE (INCLUDE NOTARY SEAL) THE AFFIDAVIT PLEASE NOTE DATES AND TIMES FOR CLOSING AND OPENING OF BIDS RETURN ALL BID TO: BLAINE COUNTY CLERK 580-623-5890 PO BOX 138 ~ 212 N. WEIGLE WATONGA, OK 73772		

TERMS and CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, BLAINE
County Courthouse, WATONGA, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by BLAINE County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until _____ (Date)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day
of _____, 20____ (SEAL)

Firm: _____

My commission expires _____ Signed by: _____
(Manual Signature of Undersigned)

Address: _____ Phone: _____

NOTARY PUBLIC (CLERK OR JUDGE) Zip: _____

In accordance with 62 O.S. § 310.9

NOTE: Other terms and conditions can be added at the discretion of the county officers.



Longdale Fire Department

Bid Specification For:

Fire Truck Storage Barn Expansion
(Building, Concrete, Doors, Insulation, Electric,
Heating)

Purpose:

The Longdale Fire Department is seeking bids for expansion of the fire truck storage barn. The building addition will be located at 218 N Walnut, at the corner of Main and Walnut in the town of Longdale, county of Blaine, and state of Oklahoma.

Bidder:

Bidders can bid on a single item or the overall project, please specify. Longdale Fire Department reserves the right to award this bid to any bidder who is able to give a complete bid or to numerous bidders who are able to provide services like concrete, doors, and/or building materials etc.

Permits and Fees:

All permits and fees will be paid by the Longdale Fire Department prior to the start of construction.

Codes:

Must comply with applicable codes and regulations of authorities having jurisdiction.

Site Pad and Preparation:

The leveling of the site pad dirt work will be completed by Longdale Fire Department, minus the forms for the building foundation.

Dimensions:

The building addition will be 20 feet wide by 30 feet long attached to the 16 feet existing side walls (20' x 30' x 16').

Building:

The building will be steel red iron IBC 15 framed with metal/steel siding and guttering. The steel must be a minimum of 26 gauge, and will have guttering on the West side of the building. Reuse of the exterior is encouraged. Building color will be associated with cost. Building must come with warranty. Building must meet architectural and engineering design.

Footing:

Must be within structural engineered guidelines for a 20' x 30' x 16' building or the equivalent of. With 12" footings with 36" x 36" piers under all columns. Builder is to specify how the building will be secured to footing.

Concrete:

Concrete must be a minimum of six (6) inches reinforced on ½" rebar on 2' centers or 4,000psi equivalent, sloped towards the West overhead door that is to be installed. The concrete must be able to support a minimum of 100,000 pounds without failure.

There will be a 3' long approach place along the 20' side of the building in front of the bay door. Bidder to specify how the building will be secured to concrete. Bidder to specify if the dimensions of the concrete pad will need to change to support the aforementioned building dimensions.

Apparatus Bays:

Apparatus bay will be a minimum of 14 feet wide on commercial 3" tacks with chain hoist override. Apparatus bay will have a garage door opener. Apparatus bay doors will have manual chain hoist override. The door will come with a vehicle opener. Garage doors will be commercial heavily insulated garage doors without windows and with weather seals along top, sides, and bottom of the doors. Apparatus bay will be located on the West side of the building to allow the fire apparatus to exit to the East and enter from the West. Each bay door will have a 4" in diameter pipe 5' tall from ground level up to act as guards on each side of the bay door.

The bay where the apparatus will sit, will be a minimum of 14 feet wide and 14 feet high.

Interior Sheeting:

Bidder is to supply any extra white 14' interior sheeting with top trim piece; minimum of 26 gauge for whole interior vertical walls of building to be placed over the spray foam insulation. The use of existing 14' interior liner paneling is encouraged.

Insulation:

Bidder to supply 2" closed cell spray foam painted white for the whole building.

Electrical:

Bidder to move existing exterior light on the West side of the building, to be placed above the West overhead door and wired in. There will be one electrical outlet to be placed by the overhead door controls. There will be four (4) LED light fixtures installed and wired in with existing lights that are already in use inside of the building. Bidders must show up in person to confirm lights that are installed in the current building. Lights, overhead door motor, electrical outlet, and heater are to be wired into the existing breaker box in the building.

Heating:

Bidders must provide and install a 20' minimum long radiate tube heater that will be plumbed into the existing propane forced air heater supply line.

Load Limits:

Bidder to specify the type of load and wind limits for the building.

Time Line:

- Project must be completed within 60 days of accepted bid.
- Payments will be approved upon completion of projects.

Contact Person:

James Syzmore, Chief of Longdale Fire Department, (580)886-4840